

IDENTITY: AQUAFIN CRACK SEALING TAPE

SAFETY DATA SHEET

SDS No. 3.1.2.

Date prepared: JANUARY 2014

Date revised: MARCH 2019 SDS No.3.1.2.

Section 1 - Product Identification

IDENTITY: Product Name: AQUAFIN CRACK SEALING TAPE

Chemical Characterization: Polyolefin elastomeric tape

AQUAFIN, INC. Emergency Phone No. (800) 394-1410
505 BLUE BALL RD. #160 Information Phone No. (410) 392-2300
ELKTON, MD 21921 info@aquafin.net www.aquafin.net

Recommended use of the chemical and restriction on use:

Refer to the product technical data sheet.

For industrial and professional users.

Section 2 - Hazards Identification

GHS Classification: Not classified.

GHS Label element: Hazard Pictograms:

Signal Word: None. Hazard Statements: None.

Precautionary Statements:

Prevention: Not applicable.

Response: Not applicable.

Storage:

P402: Store in a dry place.

Disposal:

P501: Dispose of contents to an approved waste disposal site.

Section 3 – Composition / Information on Ingredients

<u>Hazardous components:</u> Product is chemically non-hazardous and non-toxic.

Section 4 - First Aid Measures

Inhalation: Not applicable

Ingestion: Ingestion of this product is unlikely.

Skin Contact: Wash with mild soap and water.

Eye Contact: Flush with warm running water for at least 15 minutes, lifting upper and lower eyelids

occasionally. Do not rub if irritation persists. Seek medical attention.

Section 5 – Fire Fighting Measures

Fire Fighting Equipment: Use self-contained breathing apparatus and body covering. Approach fire from

downside of wind.



IDENTITY: AQUAFIN CRACK SEALING TAPE

SAFETY DATA SHEET

SDS No. 3.1.2.

Extinguishing Media: Water, water spray, dry chemical, carbon dioxide, foam.

Unusual Fire and Explosion Hazards: Product releases carbon dioxide (CO₂), carbon monoxide (CO), nitrogen

oxide (NO_x), and depending on intensity of fire, hydrocarbon C_NH_N) and

hydrogen cyanide (HCN) appear.

Section 6 - Accidental Release Measures

General: Not applicable.

Waste Disposal Method: Dispose of in accordance with local, state and federal regulations.

Section 7 - Handling and Storage

Handling: Keep out of reach of children. No special handling precautions needed.

Storage: Store in a dry place away from direct sunlight.

Section 8 - Exposure Controls / Personal Protection

Engineering Controls: General (mechanical) room ventilation is expected to be satisfactory.

Respiratory Protection: In well ventilated areas not necessary.

Skin Protection: Cotton or cotton/synthetic overalls are suitable.

Eye Protection: Not required.

Work/Hygienic Practices: Handle using good industrial hygiene and safety practices. Wash hands before

breaks and after work, and before eating, drinking or smoking. Change and

launder work clothes after use.

Section 9 – Physical and Chemical Properties

Physical State: Elastomeric tape & sheet

Appearance / Color: Elastomer embedded in white backing fabric

Odor: None Solubility in water: Insoluble

pH: N/A (Not Applicable)

Boiling Point: N/A

Melting Point: 120 - 180°C (250 - 355°F)

VOC %: 0% (zero) Static Charge: N/A.

Section 10 – Stability and Reactivity

Chemical Stability: Stable under normal temperatures and pressures.

Hazardous Decomposition Products: Under normal conditions of storage and use, hazardous decomposition

products should not be produced.

Incompatibilities: Strong acids, strong bases, strong oxidizing agents.

IDENTITY: AQUAFIN CRACK SEALING TAPE

SAFETY DATA SHEET

SDS No. 3.1.2.

Section 11 - Toxicological Information

General: When applied in accordance with manufacturer's instructions, no toxicological risks

are expected.

Section 12 – Ecological Information

Environment: Non-toxic.

Section 13 - Disposal Considerations

Waste Disposal: Dispose of in a manner consistent with federal, state and local regulations.

Section 14 – Transport Information

USDOT (Domestic Surface)

IMDG (Ocean) Hazard Class or Division:

IATA/ICAO (Air) Hazard Class or Division:

Not regulated
Not regulated
Not regulated
Not regulated

Section 15 - Regulatory Information

TSCA Status: All components listed on or exempt from TSCA master list inventory.

OSHA Status: This product is not deemed hazardous as defined by OSHA 29CFR part

1910.1200.

California Proposition 65: This product does not contain any ingredients subject to California Proposition 65.

Section 16 – Other Information

(Hazard Rating: 0 = Minimal; 1 = Slight; 2 = Moderate; 3 = Serious; 4 = Severe; * = Chronic)

HMIS III rating:

Health: 0* Flammability: 0 Physical hazard: 0 Personal Protection: A

Abbreviations and acronyms:

USDOT: United States Department of Transportation.

IMDG: International Maritime Code for Dangerous Goods.

IATA: International Air Transport Association.

CAS: Chemical Abstracts Service (Division of the American Chemical Society).

SDS prepared by: Aquafin product safety department.

DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use. Aquafin shall not be responsible for the use of this product in a manner to infringe on any patent or any other intellectual property rights held by others. User is responsible for determining appropriate safety measures and for applying the legislation covering his own activities. We recommend that user makes tests to determine the suitability of a product for its particular purpose prior to use.

END OF SDS

(March 7, 2019)