

SAFETY DATA SHEET SDS No. PV.1.6

IDENTITY: Pavemend Instant Asphalt^{1M}

MAY 2016 Date prepared: Date revised: **FEBUARY 2019**

SDS No. PV.1.6

Section 1 – Product Identification

Product Name:

IDENTITY:

Pavemend Instant Asphalt[™] (4.0, 6.0 & 9.0)

Chemical Characterization: Cold Asphalt Mix

Product Use Description:

AQUAFIN, INC. 505 BLUE BALL RD. #160 ELKTON, MD 21921

Emergency Phone No. (800) 394-1410 Information Phone No. (410) 392-2300

www.aquafin.net

Recommended use of the chemical and restriction on use:

info@aquafin.net

Refer to the product technical data sheet. For industrial and professional users.

Section 2 – Hazards Identification

GHS Classification:

Skin irritation, Category 2 Serious eye damage, Category 1 Respiratory system; Category 3 Carcinogenity, Category 1A

H315 [.]	Causes skin	irritation	(alkaline	when	moistened)
11010.	Oudoco okin	minution	lancanic	WIICH	molotonou	,

Water activated, solvent free, cold applied asphalt repair material

- H318: Causes serious eye damage
- H335: May cause respiratory irritation
- H350: May cause cancer

GHS Label element:

Hazard Pictograms

-	\checkmark	
	GHS07	
Signal Word:	Warning	
Hazard Statements:		

H316:	Causes mild skin irritation.
H320:	Causes eye irritation.

Precautionary Statements: Provention

Prevention: P264: P280:	Wash skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection.
_	

Response:

P302 + P352:	IF ON SKIN:	Wash with plenty of soap and water.
	IF INHALED:	Not relevant.
P305 + P351 + P338:	IF IN EYES:	Rinse cautiously with water for several minutes. Remove contact
		lenses, if present and easy to do. Continue rinsing.
P332 + P313:	IF skin irritation	occurs, Get medical advice/attention.
P362:	Take off contar	ninated clothing and wash before reuse.

Storage:

P403 + P232: Store in a well-ventilated place. Protect from moisture.



IDENTITY: Pavemend Instant Asphalt'

Disposal:

P501:

Dispose of contents/container to an approved waste disposal site.

Section 3 – Composition / Information on Ingredients

Hazardous Components	CAS No.	Percent %
Mineral aggregates	Not Applicable	90 – 96, no dust, encapsulated with binder
Bitumen-Binder	8052-42-4	4-9
HAZARDS DISCLOSURE:	This product contains	no known hazardous materials as defined by the OSHA

Hazard Communication Standard 29 CFR 1910-1200.

Inhalation: Not relevant.

Section 4 – First Aid Measures

- **Ingestion:** Drink copious amounts of water and provide fresh air. Consult a physician immediately. Do not induce vomiting without medical advice. If a person vomits, place him/her in the recovery position. Never give anything by mouth to an unconscious person.
- **Skin Contact:** Rinse skin with warm water. Seek medical attention if irritation persists. Wash contaminated clothing before reuse.
- **Eye Contact:** Rinse opened eye with plenty of running water for at least 15 minutes, lifting upper and lower eyelids occasionally. Consult physician.

Section 5 – Fire Fighting Measures

Auto ignition Temperature:	Not combustible.
Hazardous combustion Products:	Not applicable.
Extinguishing Media:	Water, foam, CO2, extinguishing powder or water mist.
Special Fire Fighting Procedures:	In the event of a fire, wear full protective clothing and NIOSH- approved self-contained breathing apparatus with full face-piece operated in the pressure demand or other positive pressure mode.

Unusual Fire and Explosion Hazards: Cool closed containers exposed to fire with water spray.

Section 6 – Accidental Release Measures		
Measures for Cleaning/Collecting: No special measures required.		
Environmental Precautionary Measures:	Observe usual precautions.	
Methods for Cleaning up:	Collect mechanically.	
Other information:	Spills of this material do not need to be reported to the National Response Center.	



IDENTITY: Pavemend Instant Asphalt^{1M}

Section 7 – Handling and Storage

- **Handling:** Avoid contact with skin, eyes and clothing. Keep out of reach of children. Keep away from heat, sparks, flame and direct sunlight. Do not smoke. Do not store open containers. No special measures required.
- **Storage:** No special storage precautions needed. Store in original container, away from foodstuffs. Store containers tightly closed in a cool, well ventilated place.

Section 8 – Exposure Controls / Personal Protection

General Information:	The product does not contain any relevant quantities of materials that have to be monitored at the workplace.
Respiratory Protection:	Not required.
Skin Protection:	When installing, wear appropriate protective gloves (butyl, rubber) to prevent hand-skin exposure. Wear appropriate impervious clothing to prevent skin exposure (long sleeve shirt and long pants).
Eye Protection:	Wear safety glasses with side shields or goggles.
Work/Hygienic Practices:	Handle using good industrial hygiene and safety practices. Keep work area clean. Wash hands before breaks and after work, and before eating, drinking or smoking.

Section 9 – Physical and Chemical Properties

Physical State:	Solid, mineral binder, mix
Appearance/Color:	Black
Odor:	Weak, characteristic
Solubility in water:	Not relevant
Flash Point:	Not relevant
Flammability:	Not relevant
Lower Explosion Limit:	N/A
Upper Explosion Limit:	N/A
Danger of Explosion (°C):	Product is not explosive
Fire Promoting Properties (°C):	Product is not oxidizing
pH-value at 20°C:	Not relevant
Boiling Point:	Not relevant
Freezing Point:	Not relevant
Specific Gravity (Density):	2-2.5 kg/dm ³
Viscosity, dynamic at 20°C:	Not relevant
Concentration as applied:	0 g/L

Section 10 – Stability and Reactivity

Chemical Stability:	Stable.
Hazardous Reactions:	Will not occur.
Conditions to Avoid:	Keep away from heat and sparks.
Thermal Decomposition:	Not relevant.



IDENTITY: Pavemend Instant Asphalt^{1M}

Section 11 – Toxicological Information

Acute Effects:	The product is classified as not acute toxic.		
Chronic Effects: The product is classified as not sub-acute respectively chronic t			
Corrosive or Irritant Effect or Sensitization: The product is classified as not irritating or sensitizing.			
Likely Routes of Exposure: Skin:	Eye contact, skin contact. Prolonged exposure may cause moderate skin irritation. May cause drying/defatting of the skin.		
Eye:Ingestion:	Causes mild/moderate irritation (tears, blurred vision and redness). Not likely to be toxic but may cause irritation of the mouth, throat and stomach.		

- Inhalation: Not relevant.
- Medical Conditions Aggravated by Exposure: May cause more significant skin irritation in people with pre-existing skin conditions.

Section 12 – Ecological Information

Mobility in Environment: Not relevant.

Persistence/Degradability: Not relevant. Bioaccumulation/Accumulation: Not relevant.

Further Negative Effects: There are no negative effects known.

Section 13 – Disposal Considerations

Recommendations: Use excess product in an alternate beneficial application.

Disposal: Dispose pf in a manner consistent with federal, state and local regulations.

Packaging: Empty containers can be reused or recycled after cleaning. Note local restrictions.

Section 14 – Transport Information

USDOT (Domestic Surface)NotIMDG/IMO (Ocean) Hazard Class or Division:NotIATA/ICAO (Air) Hazard Class or Division:NotTDG (Canada ground):Not

Not regulated Not regulated Not regulated Not regulated

Section 15 – Regulatory Information

OSHA Process Safety (29CFR 1910.119):

Not regulated.

TSCA Status: All ingredients are on the inventory or exempt from listing.



IDENTITY: Pavemend Instant Asphalt^{1M}

Section 16 – Other Information

(Hazard Rating:	0 = Minimal;	1 = Slight;	2 = Moderate;	3 = Serious;	4 = Severe; * = Chronic)
HMIS III rating Health: 0	j: Flammability:	0 Physic	al hazard: 0	Personal Prote	ection: X
Abbreviations and acronyms:					
USDOT: IMDG: IATA: CAS: LC50: LD50:	United States Department of Transportation. International Maritime Code for Dangerous Goods. International Air Transport Association. Chemical Abstracts Service (Division of the American Chemical Society). Lethal concentration, 50 percent. Lethal dose, 50 percent.				
SDS prepared by:		Aquafin product safety department.			

DISCLAIMER: We believe the statements, technical information and recommendations contained herein are reliable, but they are given without warranty or guarantee of any kind, expressed or implied, and we assume no responsibility for any loss, damage, or expense, direct or consequential, arising out of their use. Aquafin shall not be responsible for the use of this product in a manner to infringe on any patent or any other intellectual property rights held by others. User is responsible for determining appropriate safety measures and for applying the legislation covering his own activities. We recommend that user makes tests to determine the suitability of a product for its particular purpose prior to use.

END OF SDS

(February 12, 2019)



